

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

ALTERNATIVE SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 328 alternative school students in Montana during February of 2013. Frequency distributions may not total 328 due to nonresponse and percents may not total 100 percent due to rounding.

Question	Responses	Count	Percent
Q-1. How old are you?			
A.	12 years old or younger	0	0.00%
B.	13 years old	0	0.00%
C.	14 years old	5	1.56%
D.	15 years old	27	8.41%
E.	16 years old	95	29.60%
F.	17 years old	120	37.38%
G.	18 years old or older	74	23.05%
	TOTALS	321	100.00%
Q-2. What is your sex?			
A.	Female	173	53.23%
B.	Male	152	46.77%
	TOTALS	325	100.00%
Q-3. In what grade are you?			
A.	9th grade	16	4.97%
B.	10th grade	71	22.05%
C.	11th grade	106	32.92%
D.	12th grade	123	38.20%
E.	Ungraded or other grade	6	1.86%
	TOTALS	322	100.00%
Q-4. Are you Hispanic or Latino?			
A.	Yes	39	12.19%
B.	No	281	87.81%
	TOTALS	320	100.00%
Q-5. What is your race?			
A.	American Indian or Alaskan Native	55	15.90%
B.	Asian	7	2.02%
C.	Black or African American	11	3.18%
D.	Native Hawaiian or Other Pacific Islander	7	2.02%
E.	White	266	76.88%
	TOTALS	346	105.49%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-6. How tall are you without your shoes on?

A.	Less than 4 ft	1	0.31%
B.	4ft to 4 ft, 6 in	0	0.00%
C.	4ft, 7in to 5 ft	8	2.45%
D.	5ft, 1in to 5ft, 6in	138	42.33%
E.	Over 5ft, 6in	179	54.91%
TOTALS		326	100.00%

Q-7. How much do you weigh without your shoes on?

A.	Less than 90 lbs	0	0.00%
B.	90-99 lbs	6	1.86%
C.	100-109 lbs	17	5.28%
D.	110-119lbs	25	7.76%
E.	120-129 lbs	43	13.35%
F.	130-139 lbs	49	15.22%
G.	lbs +	182	56.52%
TOTALS		322	100.00%

Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?

A.	I did not ride a bicycle during the past 12 months	130	40.00%
B.	Never wore a helmet	172	52.92%
C.	Rarely wore a helmet	14	4.31%
D.	Sometimes wore a helmet	3	0.92%
E.	Most of the time wore a helmet	1	0.31%
F.	Always wore a helmet	5	1.54%
TOTALS		325	100.00%

Q-9. How often do you wear your seat belt when riding in a car driven by someone else?

A.	Never	22	6.79%
B.	Rarely	45	13.89%
C.	Sometimes	62	19.14%
D.	Most of the time	93	28.70%
E.	Always	102	31.48%
TOTALS		324	100.00%

Q-10. How often do you wear a seat belt when driving a car?

A.	I do not drive a car	84	25.85%
B.	Never	25	7.69%
C.	Rarely	29	8.92%
D.	Sometimes	28	8.62%
E.	Most of the time	40	12.31%
F.	Always	119	36.62%
TOTALS		325	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

A.	0 times	210	65.83%
B.	1 time	35	10.97%
C.	2 or 3 times	46	14.42%
D.	4 or 5 times	9	2.82%
E.	6 or more times	19	5.96%
TOTALS		319	100.00%

Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

A.	I did not drive a car or other vehicle during the past 30 days	107	33.02%
B.	0 times	180	55.56%
C.	1 time	16	4.94%
D.	2 or 3 times	12	3.70%
E.	4 or 5 times	4	1.23%
F.	6 or more times	5	1.54%
TOTALS		324	100.00%

Q-13. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

A.	I did not drive a car or other vehicle during the past 30 days	109	34.28%
B.	0 days	104	32.70%
C.	1 or 2 days	28	8.81%
D.	3 to 5 days	16	5.03%
E.	6 to 9 days	9	2.83%
F.	10 to 19 days	9	2.83%
G.	20 to 29 days	8	2.52%
H.	All 30 days	35	11.01%
TOTALS		318	100.00%

Q-14. During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?

A.	I did not drive a car or other vehicle during the past 30 days	116	35.58%
B.	0 days	92	28.22%
C.	1 or 2 days	25	7.67%
D.	3 to 5 days	30	9.20%
E.	6 to 9 days	10	3.07%
F.	10 to 19 days	18	5.52%
G.	20 to 29 days	15	4.60%
H.	All 30 days	20	6.13%
TOTALS		326	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

A.	0 days	213	66.15%
B.	1 day	17	5.28%
C.	2 or 3 days	15	4.66%
D.	4 or 5 days	10	3.11%
E.	6 or more days	67	20.81%
TOTALS		322	100.00%

Q-16. During the past 30 days, on how many days did you carry a gun?

A.	0 days	298	91.98%
B.	1 day	7	2.16%
C.	2 or 3 days	8	2.47%
D.	4 or 5 days	2	0.62%
E.	6 or more days	9	2.78%
TOTALS		324	100.00%

Q-17. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

A.	0 days	271	83.13%
B.	1 day	7	2.15%
C.	2 or 3 days	11	3.37%
D.	4 or 5 days	3	0.92%
E.	6 or more days	34	10.43%
TOTALS		326	100.00%

Q-18. During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?

A.	0 times	234	72.00%
B.	1 time	35	10.77%
C.	2 or 3 times	28	8.62%
D.	4 or 5 times	13	4.00%
E.	6 or 7 times	4	1.23%
F.	8 or 9 times	4	1.23%
G.	10 or 11 times	1	0.31%
H.	12 or more times	6	1.85%
TOTALS		325	100.00%

Q-19. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

A.	0 days	285	88.51%
B.	1 day	24	7.45%
C.	2 or 3 days	7	2.17%
D.	4 or 5 days	1	0.31%
E.	6 or more days	5	1.55%
TOTALS		322	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-20. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

A.	0 times	303	92.66%
B.	1 time	11	3.36%
C.	2 or 3 times	5	1.53%
D.	4 or 5 times	4	1.22%
E.	6 or 7 times	1	0.31%
F.	8 or 9 times	1	0.31%
G.	10 or 11 times	0	0.00%
H.	12 or more times	2	0.61%
TOTALS		327	100.00%

Q-21. During the past 12 months, how many times were you in a physical fight?

A.	0 times	194	59.69%
B.	1 time	52	16.00%
C.	2 or 3 times	47	14.46%
D.	4 or 5 times	14	4.31%
E.	6 or 7 times	7	2.15%
F.	8 or 9 times	2	0.62%
G.	10 or 11 times	0	0.00%
H.	12 or more times	9	2.77%
TOTALS		325	100.00%

Q-22. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?

A.	0 times	298	92.26%
B.	1 time	16	4.95%
C.	2 or 3 times	5	1.55%
D.	4 or 5 times	3	0.93%
E.	6 or more times	1	0.31%
TOTALS		323	100.00%

Q-23. During the past 12 months, how many times were you in a physical fight on school property?

A.	0 times	291	88.72%
B.	1 time	22	6.71%
C.	2 or 3 times	10	3.05%
D.	4 or 5 times	2	0.61%
E.	6 or 7 times	1	0.30%
F.	8 or 9 times	1	0.30%
G.	10 or 11 times	0	0.00%
H.	12 or more times	1	0.30%
TOTALS		328	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-24. Have you ever been physically forced to have sexual intercourse when you did not want to?

A.	Yes	75	23.08%
B.	No	250	76.92%
TOTALS		325	100.00%

Q-25. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

A.	I did not date or go out with anyone during the past 12 months	58	17.96%
B.	0 times	211	65.33%
C.	1 time	18	5.57%
D.	2 or 3 times	14	4.33%
E.	4 or 5 times	7	2.17%
F.	6 or more times	15	4.64%
TOTALS		323	100.00%

Q-26. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

A.	I did not date or go out with anyone during the past 12 months	57	17.43%
B.	0 times	242	74.01%
C.	1 time	12	3.67%
D.	2 or 3 times	9	2.75%
E.	4 or 5 times	3	0.92%
F.	6 or more times	4	1.22%
TOTALS		327	100.00%

Q-27. During the past 12 months, have you ever been bullied on school property?

A.	Yes	78	24.07%
B.	No	246	75.93%
TOTALS		324	100.00%

Q-28. During the past 12 months, have you ever been electronically bullied? (Include being bullied through e-mail, chat rooms, instant messaging, websites, or texting.)

A.	Yes	103	31.99%
B.	No	219	68.01%
TOTALS		322	100.00%

Q-29. During the past 12 months, have you ever been the victim of teasing, name calling or bullying because someone thought you were gay, lesbian, or bisexual?

A.	Yes	60	18.63%
B.	No	262	81.37%
TOTALS		322	100.00%

Q-30. Have you ever been choked by someone or tried to choke yourself on purpose, such as with a belt, towel, or rope, for the feeling or experience it caused? (This is also called the Choking Game, Knock Out, Space Monkey, Flatlining, or the Fainting Game.)

A.	Yes	49	15.12%
B.	No	275	84.88%
TOTALS		324	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-31. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

A.	Yes	160	50.16%
B.	No	159	49.84%
TOTALS		319	100.00%

Q-32. During the past 12 months, did you ever seriously consider attempting suicide?

A.	Yes	103	31.89%
B.	No	220	68.11%
TOTALS		323	100.00%

Q-33. During the past 12 months, did you make a plan about how you would attempt suicide?

A.	Yes	88	27.33%
B.	No	234	72.67%
TOTALS		322	100.00%

Q-34. During the past 12 months, how many times did you actually attempt suicide?

A.	0 times	253	78.33%
B.	1 time	45	13.93%
C.	2 or 3 times	21	6.50%
D.	4 or 5 times	2	0.62%
E.	6 or more times	2	0.62%
TOTALS		323	100.00%

Q-35. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

A.	I did not attempt suicide	243	75.00%
B.	Yes	34	10.49%
C.	No	47	14.51%
TOTALS		324	100.00%

Q-36. Have you ever tried cigarette smoking, even one or two puffs?

A.	Yes	270	84.38%
B.	No	50	15.63%
TOTALS		320	100.00%

Q-37. How old were you when you smoked a whole cigarette for the first time?

A.	I have never smoked a whole cigarette	64	19.69%
B.	8 years old or younger	25	7.69%
C.	9 or 10 years old	36	11.08%
D.	11 or 12 years old	41	12.62%
E.	13 or 14 years old	76	23.38%
F.	15 or 16 years old	71	21.85%
G.	17 years old or older	12	3.69%
TOTALS		325	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-38. During the past 30 days, on how many days did you smoke cigarettes?

A.	0 days	101	31.08%
B.	1 or 2 days	25	7.69%
C.	3 to 5 days	9	2.77%
D.	6 to 9 days	6	1.85%
E.	10 to 19 days	9	2.77%
F.	20 to 29 days	23	7.08%
G.	All 30 days	152	46.77%
TOTALS		325	100.00%

Q-39. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

A.	I did not smoke cigarettes during the past 30 days	104	31.71%
B.	Less than 1 cigarette per day	21	6.40%
C.	1 cigarette per day	17	5.18%
D.	2 to 5 cigarettes per day	95	28.96%
E.	6 to 10 cigarettes per day	50	15.24%
F.	11 to 20 cigarettes per day	31	9.45%
G.	More than 20 cigarettes per day	10	3.05%
TOTALS		328	100.00%

Q-40. During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)

A.	I did not smoke cigarettes during the past 30 days	103	31.69%
B.	I bought them in a store such as a convenience store, supermarket, discount store, or gas station	52	16.00%
C.	I bought them from a vending machine	2	0.62%
D.	I gave someone else money to buy them for me	84	25.85%
E.	I borrowed (or bummed) them from someone else	37	11.38%
F.	A person 18 years old or older gave them to me	16	4.92%
G.	I took them from a store or family member	4	1.23%
H.	I got them some other way	27	8.31%
TOTALS		325	100.00%

Q-41. During the past 30 days, on how many days did you smoke cigarettes on school property?

A.	0 days	217	68.67%
B.	1 or 2 days	13	4.11%
C.	3 to 5 days	8	2.53%
D.	6 to 9 days	6	1.90%
E.	10 to 19 days	23	7.28%
F.	20 to 29 days	15	4.75%
G.	All 30 days	34	10.76%
TOTALS		316	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-42. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?

A.	Yes	190	60.90%
B.	No	122	39.10%
TOTALS		312	100.00%

Q-43. During the past 12 months, did you ever try to quit smoking cigarettes?

A.	I did not smoke during the past 12 months	94	29.56%
B.	Yes	145	45.60%
C.	No	79	24.84%
TOTALS		318	100.00%

Q-44. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?

A.	0 days	259	80.69%
B.	1 or 2 days	20	6.23%
C.	3 to 5 days	12	3.74%
D.	6 to 9 days	7	2.18%
E.	10 to 19 days	6	1.87%
F.	20 to 29 days	5	1.56%
G.	All 30 days	12	3.74%
TOTALS		321	100.00%

Q-45. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?

A.	0 days	280	86.96%
B.	1 or 2 days	16	4.97%
C.	3 to 5 days	10	3.11%
D.	6 to 9 days	3	0.93%
E.	10 to 19 days	2	0.62%
F.	20 to 29 days	2	0.62%
G.	All 30 days	9	2.80%
TOTALS		322	100.00%

Q-46. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

A.	0 days	239	74.69%
B.	1 or 2 days	46	14.38%
C.	3 to 5 days	14	4.38%
D.	6 to 9 days	9	2.81%
E.	10 to 19 days	5	1.56%
F.	20 to 29 days	2	0.63%
G.	All 30 days	5	1.56%
TOTALS		320	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-47. During your life, on how many days have you had at least one drink of alcohol?

A.	0 days	34	10.46%
B.	1 or 2 days	31	9.54%
C.	3 to 9 days	37	11.38%
D.	10 to 19 days	36	11.08%
E.	20 to 39 days	45	13.85%
F.	40 to 99 days	55	16.92%
G.	100 or more days	87	26.77%
TOTALS		325	100.00%

Q-48. How old were you when you had your first drink of alcohol other than a few sips?

A.	I have never had a drink of alcohol other than a few sips	28	8.64%
B.	8 years old or younger	33	10.19%
C.	9 or 10 years old	20	6.17%
D.	11 or 12 years old	78	24.07%
E.	13 or 14 years old	103	31.79%
F.	15 or 16 years old	50	15.43%
G.	17 years old or older	12	3.70%
TOTALS		324	100.00%

Q-49. During the past 30 days, on how many days did you have at least one drink of alcohol?

A.	0 days	122	37.65%
B.	1 or 2 days	79	24.38%
C.	3 to 5 days	55	16.98%
D.	6 to 9 days	31	9.57%
E.	10 to 19 days	31	9.57%
F.	20 to 29 days	2	0.62%
G.	All 30 days	4	1.23%
TOTALS		324	100.00%

Q-50. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?

A.	0 days	297	91.10%
B.	1 or 2 days	20	6.13%
C.	3 to 5 days	3	0.92%
D.	6 to 9 days	4	1.23%
E.	10 to 19 days	1	0.31%
F.	20 to 29 days	0	0.00%
G.	All 30 days	1	0.31%
TOTALS		326	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-51. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

A.	0 days	171	52.94%
B.	1 day	35	10.84%
C.	2 days	43	13.31%
D.	3 to 5 days	34	10.53%
E.	6 to 9 days	27	8.36%
F.	10 to 19 days	8	2.48%
G.	20 or more days	5	1.55%
TOTALS		323	100.00%

Q-52. During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?

A.	I did not drink alcohol during the past 30 days	120	37.38%
B.	1 or 2 drinks	35	10.90%
C.	3 drinks	23	7.17%
D.	4 drinks	19	5.92%
E.	5 drinks	27	8.41%
F.	6 or 7 drinks	28	8.72%
G.	8 or 9 drinks	24	7.48%
H.	10 or more drinks	45	14.02%
TOTALS		321	100.00%

Q-53. During the past 30 days, how did you usually get the alcohol you drank?

A.	I did not drink alcohol during the past 30 days	124	38.39%
B.	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	4	1.24%
C.	I bought it at a restaurant, bar, or club	5	1.55%
D.	I bought it at a public event such as a concert or sporting event	5	1.55%
E.	I gave someone else money to buy it for me	75	23.22%
F.	Someone gave it to me	45	13.93%
G.	I took it from a store or family member	5	1.55%
H.	I got it some other way	60	18.58%
TOTALS		323	100.00%

Q-54. During your life, how many times have you used marijuana?

A.	0 times	58	18.07%
B.	1 or 2 times	13	4.05%
C.	3 to 9 times	21	6.54%
D.	10 to 19 times	13	4.05%
E.	20 to 39 times	19	5.92%
F.	40 to 99 times	20	6.23%
G.	100 or more times	177	55.14%
TOTALS		321	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-55. How old were you when you tried marijuana for the first time?

A.	I have never tried marijuana	56	17.61%
B.	8 years old or younger	32	10.06%
C.	9 or 10 years old	18	5.66%
D.	11 or 12 years old	64	20.13%
E.	13 or 14 years old	88	27.67%
F.	15 or 16 years old	52	16.35%
G.	17 years old or older	8	2.52%
TOTALS		318	100.00%

Q-56. During the past 30 days, how many times did you use marijuana?

A.	0 times	122	37.54%
B.	1 or 2 times	26	8.00%
C.	3 to 9 times	42	12.92%
D.	10 to 19 times	17	5.23%
E.	20 to 39 times	25	7.69%
F.	40 or more times	93	28.62%
TOTALS		325	100.00%

Q-57. During the past 30 days, how many times did you use marijuana on school property?

A.	0 times	278	85.02%
B.	1 or 2 times	25	7.65%
C.	3 to 9 times	7	2.14%
D.	10 to 19 times	7	2.14%
E.	20 to 39 times	3	0.92%
F.	40 or more times	7	2.14%
TOTALS		327	100.00%

Q-58. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

A.	0 times	222	70.70%
B.	1 or 2 times	38	12.10%
C.	3 to 9 times	17	5.41%
D.	10 to 19 times	14	4.46%
E.	20 to 39 times	10	3.18%
F.	40 or more times	13	4.14%
TOTALS		314	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-59. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

A.	0 times	239	73.99%
B.	1 or 2 times	34	10.53%
C.	3 to 9 times	26	8.05%
D.	10 to 19 times	10	3.10%
E.	20 to 39 times	6	1.86%
F.	40 or more times	8	2.48%
TOTALS		323	100.00%

Q-60. During the past 30 days, how many times did you sniff glue, breathe the contents of aerosol spray cans, or inhale any paints or sprays to get high?

A.	0 times	301	92.62%
B.	1 or 2 times	7	2.15%
C.	3 to 9 times	10	3.08%
D.	10 to 19 times	2	0.62%
E.	20 to 39 times	2	0.62%
F.	40 or more times	3	0.92%
TOTALS		325	100.00%

Q-61. During your life, how many times have you used heroin (also called smack, junk, or China White)?

A.	0 times	285	88.51%
B.	1 or 2 times	17	5.28%
C.	3 to 9 times	9	2.80%
D.	10 to 19 times	3	0.93%
E.	20 to 39 times	4	1.24%
F.	40 or more times	4	1.24%
TOTALS		322	100.00%

Q-62. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

A.	0 times	267	82.15%
B.	1 or 2 times	24	7.38%
C.	3 to 9 times	11	3.38%
D.	10 to 19 times	7	2.15%
E.	20 to 39 times	6	1.85%
F.	40 or more times	10	3.08%
TOTALS		325	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-63. During your life, how many times have you used ecstasy (also called MDMA)?

A.	0 times	211	64.92%
B.	1 or 2 times	47	14.46%
C.	3 to 9 times	33	10.15%
D.	10 to 19 times	16	4.92%
E.	20 to 39 times	5	1.54%
F.	40 or more times	13	4.00%
TOTALS		325	100.00%

Q-64. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

A.	0 times	298	92.26%
B.	1 or 2 times	8	2.48%
C.	3 to 9 times	7	2.17%
D.	10 to 19 times	3	0.93%
E.	20 to 39 times	1	0.31%
F.	40 or more times	6	1.86%
TOTALS		323	100.00%

Q-65. During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

A.	0 times	148	45.54%
B.	1 or 2 times	38	11.69%
C.	3 to 9 times	34	10.46%
D.	10 to 19 times	31	9.54%
E.	20 to 39 times	25	7.69%
F.	40 or more times	49	15.08%
TOTALS		325	100.00%

Q-66. During your life, how many times have you used a needle to inject any illegal drug into your body?

A.	0 times	296	91.64%
B.	1 time	12	3.72%
C.	2 or more times	15	4.64%
TOTALS		323	100.00%

Q-67. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

A.	Yes	101	31.56%
B.	No	219	68.44%
TOTALS		320	100.00%

Q-68. Have you ever had sexual intercourse?

A.	Yes	266	82.10%
B.	No	58	17.90%
TOTALS		324	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-69. How old were you when you had sexual intercourse for the first time?

A.	I have never had sexual intercourse	52	16.15%
B.	11 years old or younger	20	6.21%
C.	12 years old	32	9.94%
D.	13 years old	44	13.66%
E.	14 years old	65	20.19%
F.	15 years old	61	18.94%
G.	16 years old	36	11.18%
H.	17 years old or older	12	3.73%
TOTALS		322	100.00%

Q-70. During your life, with how many people have you had sexual intercourse?

A.	I have never had sexual intercourse	54	16.62%
B.	1 person	39	12.00%
C.	2 people	27	8.31%
D.	3 people	43	13.23%
E.	4 people	33	10.15%
F.	5 people	30	9.23%
G.	6 or more people	99	30.46%
TOTALS		325	100.00%

Q-71. During the past 3 months, with how many people did you have sexual intercourse?

A.	I have never had sexual intercourse	61	19.37%
B.	I have had sexual intercourse, but not during the past 3 months	54	17.14%
C.	1 person	141	44.76%
D.	2 people	32	10.16%
E.	3 people	14	4.44%
F.	4 people	5	1.59%
G.	5 people	3	0.95%
H.	6 or more people	5	1.59%
TOTALS		315	100.00%

Q-72. Did you drink alcohol or use drugs before you had sexual intercourse the last time?

A.	I have never had sexual intercourse	47	15.02%
B.	Yes	82	26.20%
C.	No	184	58.79%
TOTALS		313	100.00%

Q-73. The last time you had sexual intercourse, did you or your partner use a condom?

A.	I have never had sexual intercourse	49	15.76%
B.	Yes	111	35.69%
C.	No	151	48.55%
TOTALS		311	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-74. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)

A.	I have never had sexual intercourse	52	16.51%
B.	No method was used to prevent pregnancy	41	13.02%
C.	Birth control pills	62	19.68%
D.	Condoms	81	25.71%
E.	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	5	1.59%
F.	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	30	9.52%
G.	Withdrawal or some other method	32	10.16%
H.	Not sure	12	3.81%
TOTALS		315	100.00%

Q-75. How do you describe your weight?

A.	Very underweight	10	3.14%
B.	Slightly underweight	40	12.58%
C.	About the right weight	148	46.54%
D.	Slightly overweight	96	30.19%
E.	Very overweight	24	7.55%
TOTALS		318	100.00%

Q-76. Which of the following are you trying to do about your weight?

A.	Lose weight	160	50.00%
B.	Gain weight	42	13.13%
C.	Stay the same weight	53	16.56%
D.	I am not trying to do anything about my weight	65	20.31%
TOTALS		320	100.00%

Q-77. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?

A.	Yes	63	19.69%
B.	No	257	80.31%
TOTALS		320	100.00%

Q-78. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not count meal replacement products such as Slim Fast.)

A.	Yes	24	7.59%
B.	No	292	92.41%
TOTALS		316	100.00%

Q-79. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?

A.	Yes	15	4.79%
B.	No	298	95.21%
TOTALS		313	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-80. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)

A.	I did not drink 100% fruit juice during the past 7 days	74	22.98%
B.	1 to 3 times during the past 7 days	125	38.82%
C.	4 to 6 times during the past 7 days	55	17.08%
D.	1 time per day	22	6.83%
E.	2 times per day	24	7.45%
F.	3 times per day	8	2.48%
G.	4 or more times per day	14	4.35%
TOTALS		322	100.00%

Q-81. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)

A.	I did not eat fruit during the past 7 days	46	14.24%
B.	1 to 3 times during the past 7 days	131	40.56%
C.	4 to 6 times during the past 7 days	69	21.36%
D.	1 time per day	34	10.53%
E.	2 times per day	23	7.12%
F.	3 times per day	9	2.79%
G.	4 or more times per day	11	3.41%
TOTALS		323	100.00%

Q-82. During the past 7 days, how many times did you eat green salad?

A.	I did not eat green salad during the past 7 days	119	37.66%
B.	1 to 3 times during the past 7 days	132	41.77%
C.	4 to 6 times during the past 7 days	34	10.76%
D.	1 time per day	22	6.96%
E.	2 times per day	5	1.58%
F.	3 times per day	1	0.32%
G.	4 or more times per day	3	0.95%
TOTALS		316	100.00%

Q-83. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)

A.	I did not eat potatoes during the past 7 days	85	26.56%
B.	1 to 3 times during the past 7 days	173	54.06%
C.	to 6 times during the past 7 days	37	11.56%
D.	1 time per day	16	5.00%
E.	2 times per day	2	0.63%
F.	3 times per day	1	0.31%
G.	4 or more times per day	6	1.88%
TOTALS		320	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-84. During the past 7 days, how many times did you eat carrots?

A.	I did not eat carrots during the past 7 days	145	45.31%
B.	1 to 3 times during the past 7 days	121	37.81%
C.	4 to 6 times during the past 7 days	26	8.13%
D.	1 time per day	16	5.00%
E.	2 times per day	6	1.88%
F.	3 times per day	3	0.94%
G.	4 or more times per day	3	0.94%
TOTALS		320	100.00%

Q-85. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)

A.	I did not eat other vegetables during the past 7 days	65	20.57%
B.	1 to 3 times during the past 7 days	130	41.14%
C.	4 to 6 times during the past 7 days	70	22.15%
D.	1 time per day	25	7.91%
E.	2 times per day	15	4.75%
F.	3 times per day	7	2.22%
G.	4 or more times per day	4	1.27%
TOTALS		316	100.00%

Q-86. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

A.	I did not drink soda or pop during the past 7 days	40	12.58%
B.	1 to 3 times during the past 7 days	101	31.76%
C.	4 to 6 times during the past 7 days	71	22.33%
D.	1 time per day	40	12.58%
E.	2 times per day	26	8.18%
F.	3 times per day	21	6.60%
G.	4 or more times per day	19	5.97%
TOTALS		318	100.00%

Q-87. During the past 7 days, how many times did you drink a can, bottle, or glass of diet soda or pop, such as Diet Coke, Diet Pepsi, or Sprite Zero?

A.	I did not drink diet soda or pop during the past 7 days	212	66.88%
B.	1 to 3 times during the past 7 days	70	22.08%
C.	4 to 6 times during the past 7 days	10	3.15%
D.	1 time per day	13	4.10%
E.	2 times per day	2	0.63%
F.	3 times per day	2	0.63%
G.	4 or more times per day	8	2.52%
TOTALS		317	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-88. During the past 7 days, how many glasses of milk did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk serve at school as equal to one glass.)

A.	I did not drink milk during the past 7 days	59	18.79%
B.	1 to 3 glasses during the past 7 days	86	27.39%
C.	4 to 6 glasses during the past 7 days	52	16.56%
D.	1 glass per day	38	12.10%
E.	2 glasses per day	45	14.33%
F.	3 glasses per day	12	3.82%
G.	4 or more glasses per day	22	7.01%
TOTALS		314	100.00%

Q-89. During the past 7 days, on how many days did you eat breakfast?

A.	0 days	60	18.75%
B.	1 day	40	12.50%
C.	2 days	46	14.38%
D.	3 days	42	13.13%
E.	4 days	24	7.50%
F.	5 days	33	10.31%
G.	6 days	12	3.75%
H.	7 days	63	19.69%
TOTALS		320	100.00%

Q-90. During the past 30 days, how often did you go hungry because there was not enough food in your home?

A.	Never	168	53.00%
B.	Rarely	65	20.50%
C.	Sometimes	57	17.98%
D.	Most of the time	20	6.31%
E.	Always	7	2.21%
TOTALS		317	100.00%

Q-91. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

A.	0 days	57	18.15%
B.	1 day	45	14.33%
C.	2 days	39	12.42%
D.	3 days	43	13.69%
E.	4 days	39	12.42%
F.	5 days	26	8.28%
G.	6 days	9	2.87%
H.	7 days	56	17.83%
TOTALS		314	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-92. On an average school day, how many hours do you watch TV?

A.	I do not watch TV on an average school day	60	18.93%
B.	Less than 1 hour per day	71	22.40%
C.	1 hour per day	44	13.88%
D.	2 hours per day	65	20.50%
E.	3 hours per day	42	13.25%
F.	4 hours per day	15	4.73%
G.	5 or more hours per day	20	6.31%
TOTALS		317	100.00%

Q-93. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other special networking tools, and the Internet.)

A.	I do not play video or computer games or use a computer for something that is not school work	52	16.46%
B.	Less than 1 hour per day	73	23.10%
C.	1 hour per day	45	14.24%
D.	2 hours per day	46	14.56%
E.	3 hours per day	34	10.76%
F.	4 hours per day	16	5.06%
G.	5 or more hours per day	50	15.82%
TOTALS		316	100.00%

Q-94. In an average week when you are in school, on how many days do you go to physical education (PE) classes?

A.	0 days	214	66.88%
B.	1 day	19	5.94%
C.	2 days	12	3.75%
D.	3 days	27	8.44%
E.	4 days	7	2.19%
F.	5 days	41	12.81%
TOTALS		320	100.00%

Q-95. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)

A.	0 teams	253	80.83%
B.	1 team	37	11.82%
C.	2 teams	12	3.83%
D.	3 or more teams	11	3.51%
TOTALS		313	100.00%

Q-96. Have you ever been taught about AIDS or HIV infection in school?

A.	Yes	284	89.59%
B.	No	27	8.52%
C.	Not sure	6	1.89%
TOTALS		317	100.00%

2013 MONTANA YOUTH RISK BEHAVIOR SURVEY

Q-97. Has a doctor or nurse ever told you that you have asthma?

A.	Yes	82	25.87%
B.	No	216	68.14%
C.	Not sure	19	5.99%
TOTALS		317	100.00%

Q-98. During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do not count getting a spray-on tan.)

A.	0 times	258	80.88%
B.	1 or 2 times	23	7.21%
C.	3 to 9 times	20	6.27%
D.	10 to 19 times	12	3.76%
E.	20 to 39 times	6	1.88%
F.	40 or more times	0	0.00%
TOTALS		319	100.00%

Q-99. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?

A.	Yes	75	23.96%
B.	No	238	76.04%
TOTALS		313	100.00%